3.2 Medical Requirements Overview

TABLE 3.2: MEDICAL REQUIREMENTS OVERVIEW

MEDB 2.4 Methicillin Resistant Staphylococcus aureus (MRSA) Nasal Screen and Suppression
Medical Operations
Immunology/Infectious Disease
Medical Requirements (MR)
Medical Evaluation Documents (MED) Volume B, Section 2.4
Personnel will perform microbiological evaluation of crewmembers to complement environmental monitoring of the ISS cabin environment to determine transfer or acquisition of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) and assess the presence of this microorganism in the environment.
Nasal Screen for Methicillin Resistant Staphylococcus aureus (MRSA)
Pre-and Post-flight medical assessment test (MAT) report of results to Flight Surgeon
≥ 30 days
All
All primary ISS crewmembers. Back-up crew will only complete preflight MATs greater than L-30 days unless specifically waived by crew
surgeon. If crew swap does occur, back-up crew will complete all preflight and post-flight MATs.
N/A

3.3 Preflight Training - None

3.4 Preflight Activities

TABLE 3.4: PREFLIGHT ACTIVITIES

TABLE 5.4; FREFLIGHT ACTIVITIE		_						
Preflight Activity	Testing at L-90/30 days will include a nasal screen for MRSA. Using a double a single swab, both nares will be sampled and							
Description:	positive isolates tested for antibiotic susceptibility.							
	Duration:		Schedule:	Flexibility:		Personnel Required:		
	Crew Microbiology - MAT 15	min	L-90/30 days	Contact 1		Crewmembers/Lab Personnel		
Schedule:				accommoda				
Schedule:				needed outside				
				schedule fle	xibility			
Ground Support Requirements	Preflight Hardware:		Preflight So	ftware:		Test Location:		
Hardware/Software	Crew Sample Collection Kit (double		N/A			U.S.		
	culture swabs with liquid Stuart's							
	Transport Media							
Testing Facilities	Minimum Room Dimensions: Number of Electrical Outlets: Tempera 8' x 10' (typical exam room) N/A		Temperature R	equiremen	ts: Special Lighting:			
			Ambient		N/A			
	Hot or Cold Running Water:	Priv	acy Requirements:	Vibration/Acou	stic Isolatio	on: Other:		
	Sink with hot and cold water to			N/A	A	1 table, 1 chair		
	wash hands							
Constraints/Special Requirements:	Specimens should be kept betwee	n 2°C and	125°C during transport if	transport time will b	be less than	48 hours If transport time		
	will be more than 48 hours, samples should be kept at 2-8°C during transport. Protect samples against freezing or ex							
	excessive heat.							
Launch Delay Requirements:	Microbiology testing will be repeated at flight surgeon's discretion if launch is delayed.							
Notes:		•			•			
Data Delivery	A final report will be transferred	to the EM	R 24-72 hours following	sample receipt.		_		

3.5 **In-Flight Activities - None**

3.6 Postflight Activities TABLE 3.6: POSTFLIGHT ACTIVITIES

Postflight Activity	Testing at R+0 d (Perform at R+3 if sample cannot be collected at R+0) will include a nasal screen for MRSA. Using a double					RSA. Using a double swab.		
Description:	Description: both nares will be sampled and positive isolates tested for antibiotic susceptibility.						, and a second s	
	Testing at R+1 d for Direct Returning crewmembers will include a nasal screen for MRSA.							
	Duration:			Schedule:			nel Required:	
Schedule:	Crew Microbiology- MAT 15 min			R+0 d		Crewmembers/Lab personnel		
				(Collect at R+3 d			1	
				if sample cannot				
			be collected at R+0) (For direct return,		cted at			
					- /			
			collect in Crew Quarters at R+1)					
Ground Support Requirements	Postflight Hardware:		Postfli	Postflight Software:		Test Location:		
Hardware/Software	Crew Sample Collection Kit (d			N/A		Russia/U.S.		
	culture swabs with liquid Stu	art's						
	Transport Media							
Testing Facilities	Minimum Room Dimensions:		r of Electrical Out		Temperature R	<u> </u>	Special Lighting:	
	8' x 10'	2 (U.S	.S. 110V, Russia 220V)		Ambient		N/A	
	Hot or Cold Running Water:	Priv	rivacy Requirements:		Vibration/Acoustic Isolation:		Other:	
	Sink with hot and cold water	Pr	ivate room free of	f N		A	1 table, 1 chair	
	to wash hands		distractions					
Constraints/Special Requirements:				R+0 to reflect ISS conditions, rather than terrestrial conditions. R+1 directions.				
	return samples are obtained at JSC Crew Quarters. For collection in Russia, specimens must be returned to JSC Mic							
	Laboratory within 48 hours to the greatest extent possible. Specimens should be kept between 2°C and 25°C during transport if transport							
time will be less than 48 hours. If transport time will be more than 48 hours, samples should be kept at 2-8°0						3°C during transport. Protect		
T. I. D. (F. I. D.)	samples against freezing or expos	ure to exc	essive heat.					
Early Destow / Early Return:	N/A							
Notes:	R+0 samples are collected in Rus						att to Houston. R+1 direct	
	return samples are collected at JS0					gy Laboratory.		
Data Delivery	A final report will be transferred t	o the EM	R 24-72 hours foll	lowing s	ample receipt.			

3.7 Summary Schedule

TABLE 3.7: SUMMARY SCHEDULE

ACTIVITY	DURATION	SCHEDULE	FLEXIBILITY	BLOOD VOLUME	PERSONNEL REQUIRED	CONSTRAINTS
Preflight Training - None						
Preflight						
Crew Microbiology - MAT In-Flight Activity - none	15 min	L-90/30 days	Contact lab if accommodation is needed outside existing schedule flexibility	N/A	Crewmember/Lab Personnel	 Nasal screening will take place at JSC. Specimens should be kept between 2°C and 25°C
Postflight -						
ACTIVITY	DURATION	SCHEDULE	FLEXIBILITY	BLOOD VOLUME	PERSONNEL REQUIRED	CONSTRAINTS
Crew Microbiology - MAT	15 min	R+0 d (Perform at R+3 d if 1 sample cannot be collected at R+0) (For direct return, collect in Crew Quarters at R+1)	Contact lab if accommodation is needed to schedule	N/A	Crewmember/Lab Personnel	 Post return, testing should occur, as close as possible, to R+0 to reflect ISS conditions, R+1 direct return samples are obtained at JSC Crew Quarters. For collection in Russia, specimens must be returned to JSC Microbiology Laboratory within 48 hours to the greatest extent possible. Specimens should be kept between 2°C and 25°C during transport if transport time is less than 48 hours. If transport time will be more than 48 hours, samples should be kept at 2-8°C during transport. Protect samples against freezing or exposure to